Haier Biomedical





Low Noise



Large Space, **Superior Uniformity**



Environmentally Friendly

Qingdao Haier Biomedical Co.,Ltd.

No.280 Feng Yuan Road, High-tech Zone, Qingdao, 266109, P.R. China E-mail: inquiry@haierbiomedical.com Website: www.haiermedical.com



Pharmacy Refrigerator

Scope of Application

This product is suitable for pharmacy, pharmaceutical manufacturers, anti-epidemic stations, health centers and hospitals as key examples, which is used to store biological products and articles that need to be stored at 2~8°C.

Innovative Design

- Frequency Conversion Energy Saving
- Stable performance, multiple alarm modes
- Self Closing Door with 90° Stay Open Feature











Product Features





Frequency Conversion Energy Saving

Variable frequency compressor with optimized cooling system, more energy efficient.



Environmentally Friendly

Hydrocarbon compressor and refrigerant, the refrigerant does not contain any fluorine or chlorine which is super friendly to the environment.



Large Space, Superior Uniformity

The space is efficiently used, and the utilization rate is high and the temperature uniformity is $\pm 3^{\circ}$ C



Low Noise

Optimized system and noise reduction design to reduce the noise level to 43dB (A).



Precise Temperature Control



Microprocessor Control System





Stable Performance, Multiple Alarm Modes

Three alarm modes (light, sound, remote); six types of alarm.



Self Closing Door with 90° Stay Open Feature





Specifications (

Model			HYC-390F
Technical Data	Cabinet Type		Upright, Single door
	Climate Class		N
	Cooling Type		Forced Air Cooling
	Defrost Mode		Auto
	Refrigerant		HC
	Noise (dB (A))		43 43
Performance	Temperature Range (°C)		2~8
Control	Controller		Microprocessor
	Display		LED
Electrical	Power Supply (V/Hz)		220~240/50/60 115/60
Data	Electrical Current (A)		1 1.5
Dimensions	Capacity (L/Cu.Ft)		390/13.8
	Net/Gross Weight (approx)	(kg)	106/129
		(lbs)	233.8/284.5
	Interior Dimension (W*D*H)	(mm)	530*555*1380
		(in)	20.9*21.9*54.3
	Exterior Dimension (W*D*H)	(mm)	665*710*1965
		(in)	26.2*28.0*77.4
	Packing Dimension (W*D*H)	(mm)	710*810*2130
		(in)	27.6*31.9*83.9
	Container Load (20'/40'/40'H)		22/44/44
Alarms	High/Low Temperature		Υ
	Remote Alarm		Υ
	Power Failure		Υ
	Sensor Error		Υ
	Low Battery		Υ
	Door Ajar		Υ
Accessories	Caster		Υ
	Foot		Υ
	Porthole		Υ
	Shelves/Drawers		7/-
	USB Interface		Optional Y
	Printer		Optional
Other Certificate			CE UL

 $[\]hbox{*Haier Biomedical reserves the right to change products and specifications without prior notice.}$